

Printing date 13.03.2023 Version number 12 (replaces version 11) Revision: 13.03.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

Body Coat ST { B } · Trade name:

· Article number: S8_836-66-766/12 · UFI: 04A0-M04V-T00D-FC4A

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

SU19 Building and construction work · Sector of Use

· Product category PC1 Adhesives, sealants

PC9a Coatings and paints, thinners, paint removers PC9b Fillers, putties, plasters, modelling clay

· Process category PROC10 Roller application or brushing

PROC19 Manual activities involving hand contact

· Environmental release category ERC5 Use at industrial site leading to inclusion into/onto article

> ERC8c Widespread use leading to inclusion into/onto article (indoor) ERC8f Widespread use leading to inclusion into/onto article (outdoor)

Article category AC13 Plastic articles

· Application of the substance / the mixture Coating compound/ Surface coating/ paint

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Dutch Design (UK) Systems Limited

T/A SPHERE 8

Unit 1. Five Eastfields Avenue London SW18 1FU

+44 (0) 208 969 0183 info@sphere8.com

· Further information obtainable from: Technical Advice: Gert de Graaf · 1.4 Emergency telephone number: During / out of office hours:

+44 (0) 7551 417891 - Steve Andrews or +44 (0) 7787 557256 - Paul Beard

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Acute Tox. 4 H332 Harmful if inhaled Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation.

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Skin Sens. 1 H317 May cause an allergic skin reaction. Carc. 2 H351 Suspected of causing cancer. STOT SE 3 H335 May cause respiratory irritation.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.

· 2.2 Label elements

· Labelling according to Regulation (EC) No

1272/2008

· Hazard pictograms

The product is classified and labelled according to the CLP regulation.





· Signal word Danger

· Hazard-determining components of labelling: 4,4'-Methylenediphenyldiisocyanate, oligomeric reaction products with butane-1, 3-diol, 2,4'-

diisocyanatodiphenylmethane, 1,1'-methylenebis(4-isocyanatobenzene) homopolymer,

[(methylethylene)bis(oxy)]dipropanol and propane-1,2-diol

diphenylmethane-4,4'-diisocyanate

· Hazard statements H332 Harmful if inhaled.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

(Contd. on page 2)



Printing date 13.03.2023 Version number 12 (replaces version 11) Revision: 13.03.2023

Trade name: Body Coat ST { B }

· Precautionary statements

(Contd. of page 1)

H317 May cause an allergic skin reaction. H351 Suspected of causing cancer.

H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection/

hearing protection.

P284 [In case of inadequate ventilation] wear respiratory protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P405 Store locked up.

Dispose of contents/container in accordance with local/regional/national/ P501

international regulations.

· Additional information: EUH204 Contains isocyanates. May produce an allergic reaction.

As from 24 August 2023 adequate training is required before industrial or professional use.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· PRT· · vPvB:

Not applicable. Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: There are no additional ingredients present which are classified as hazardous to health or the environment and on this basis need to be mentioned in this section.

· Dangerous components: NLP: 500-313-7 4,4'-Methylenediphenyldiisocyanate, oligomeric reaction products with butane-1, 3-diol, 2,4'-Reg.nr.: 01-2119486870-28 diisocyanatodiphenylmethane, 1,1'-methylenebis(4-isocyanatobenzene) homopolymer, [(methylethylene) bis(oxy)]dipropanol and propane-1,2-diol & Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; 🕦 Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335 CAS: 101-68-8 diphenylmethane-4,4'-diisocyanate 25-100% EINECS: 202-966-0 & Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; 🕦 Acute Tox. 4, H332; Skin Irrit. 2, H315; Reg.nr.: 01-2119457014-47-000X Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204 Specific concentration limits: Eye Irrit. 2; H319: C ≥ 5 % Skin Irrit. 2; H315: C ≥ 5 % Resp. Sens. 1; H334: C ≥ 0.1 % STOT SE 3; C ≥ 5 %

· Additional information:

For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.



Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact: Immediately wash with water and soap and rinse thoroughly.

Immediately rinse with water.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a

After swallowing:

If symptoms persist consult doctor.

No further relevant information available.

· 4.2 Most important symptoms and effects, both acute and delayed

(Contd. on page 3)



Printing date 13.03.2023 Version number 12 (replaces version 11) Revision: 13.03.2023

Trade name: Body Coat ST { B }

(Contd. of page 2)

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents:



CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant

Use fire extinguishing methods suitable to surrounding conditions.

· 5.2 Special hazards arising from the

substance or mixture

During heating or in case of fire poisonous gases are produced. Formation of toxic gases is possible during heating or in case of fire.

Nitrogen oxides (NOx) Carbon monoxide (CO) Hydrogen cyanide (HCN)

· 5.3 Advice for firefighters

· Protective equipment:

Mount respiratory protective device.

Wear self-contained respiratory protective device. Do not inhale explosion gases or combustion gases.

Wear fully protective suit.

PSA 52 / PSA 55 / PSA 56 / PSA 57

· Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official

regulations.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective

equipment and emergency procedures · 6.2 Environmental precautions:

Mount respiratory protective device.

· 6.3 Methods and material for containment and

cleaning up:

Do not allow to enter sewers/ surface or ground water.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

No special measures required.

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

· Information about fire - and explosion

protection:

Keep respiratory protective device available.

· 7.2 Conditions for safe storage, including any incompatibilities

Storage:

· Requirements to be met by storerooms and

receptacles:

No special requirements.

· Information about storage in one common

storage facility:

Store away from foodstuffs. Store away from oxidising agents.

· Further information about storage conditions: Protect from frost.

Keep container tightly sealed. Store in dry conditions. Store in a cool place.

(Contd. on page 4)



Printing date 13.03.2023 Version number 12 (replaces version 11) Revision: 13.03.2023

Trade name: Body Coat ST { B }

(Contd. of page 3)

· 7.3 Specific end use(s)

No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

101-68-8 diphenylmethane-4,4'-diisocyanate

WEL (Great Britain) Short-term value: 0.07 mg/m3

Long-term value: 0.02 mg/m3

Sen; as -NCO

·DNELs

4,4'-Methylenediphenyldiisocyanate, oligomeric reaction products with butane-1, 3-diol, 2,4'-diisocyanatodiphenylmethane, 1,1'methylenebis(4-isocyanatobenzene) homopolymer, [(methylethylene)bis(oxy)]dipropanol and propane-1,2-diol

Oral Dermal

Shortterm value 20 mg/kg (Consumer system-related)

Shortterm value 17.2 mg/kg (Consumer local)

25 mg/kg (Consumer system-related)

28.7 mg/kg (Worker local) (-)

50 mg/kg (Worker system-related) Inhalative | Shortterm value | 0.05 mg/m³ (Consumer local)

0.05 mg/m³ (Consumer system-related)

0.1 mg/m³ (Worker local)

0.1 mg/m³ (Worker system-related)

Longterm value 0.025 mg/m³ (Consumer local)

0.025 mg/m³ (Consumer system-related)

0.05 mg/m³ (Worker local)

0.05 mg/m³ (Worker system-related)

PNECs

4,4'-Methylenediphenyldiisocyanate, oligomeric reaction products with butane-1, 3-diol, 2,4'-diisocyanatodiphenylmethane, 1,1'methylenebis(4-isocyanatobenzene) homopolymer, [(methylethylene)bis(oxy)]dipropanol and propane-1,2-diol

1 mg/kg (PNEC Soil)

Water 0.1 mg/l (PNEC Seawater)

1 mg/l (PNEC Wastewater treatment)

1 mg/l (PNEC Freshwater)

· Ingredients with biological limit values:

101-68-8 diphenylmethane-4,4'-diisocyanate

BMGV (Great Britain) 1 µmol creatinine/mol

Medium: urine

Sampling time: At the end of the period od exposure

Parameter: isocyanate-derived diamine

· Additional information:

The lists valid during the making were used as basis.

· 8.2 Exposure controls

· Appropriate engineering controls

No further data; see item 7.

· Individual protection measures, such as personal protective equipment

· General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.

Store protective clothing separately. Avoid contact with the eyes and skin.

Do not eat, drink, smoke or sniff while working.

· Respiratory protection:



Only during spraying without adequate removal by suction.

Use suitable respiratory protective device in case of insufficient ventilation.

(Contd. on page 5)



Printing date 13.03.2023 Version number 12 (replaces version 11) Revision: 13.03.2023

Trade name: Body Coat ST { B }

(Contd. of page 4)

Use suitable respiratory protective device when high concentrations are present.

· Recommended filter device for short term

· Hand protection

Combination filter A-P2

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

> The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

> The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

· As protection from splashes gloves made of the following materials are suitable:

· Penetration time of glove material

· Eye/face protection

Nitrile rubber, NBR

Natural rubber, NR



Tightly sealed goggles

· Body protection:



(Protective) work clothing

Not applicable.

Not miscible or difficult to mix.

- Protective work clothing (long trousers, long-sleeved shirt). Avoid exposed skin, even in hot weather.
- Depending on processing: use spray-tight trousers or spray-tight overalls

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information

· Physical state Fluid

· Colour: According to product specification · Odour:

Characteristic · Odour threshold: Not determined.

• Melting point/freezing point: Undetermined.

· Boiling point or initial boiling point and boiling range 208 °C (101-68-8 diphenylmethane-4,4'-diisocyanate)

· Flammability

· Lower and upper explosion limit

· Lower: 0.4 Vol % · Upper: Not determined. · Flash point: 235 °C

· Ignition temperature: 520 °C (101-68-8 diphenylmethane-4,4'-diisocyanate)

· Decomposition temperature: Not determined.

·pH Mixture is non-polar/aprotic.

· Viscosity: · Kinematic viscosity

Not determined. · Dynamic: Not determined. ·Solubility

· Partition coefficient n-octanol/water (log value) Not determined. · Vapour pressure: Not determined.

(Contd. on page 6)



Printing date 13.03.2023 Version number 12 (replaces version 11) Revision: 13.03.2023

Trade name: Body Coat ST { B }

(Contd. of page 5)

· Density and/or relative density

· Density at 20 °C: 1.197 g/cm³ · Relative density Not determined. · Vapour density Not determined.

· 9.2 Other information

· Appearance:

· Form: Fluid

· Important information on protection of health and

environment, and on safety.

· Auto-ignition temperature: Product is not selfigniting.

· Explosive properties: Product does not present an explosion hazard.

Not determined.

Void

· Solvent content:

· Solids content: 62.2 %

· Change in condition

· Evaporation rate Not determined.

· Information with regard to physical hazard classes

· Explosives Void · Flammable gases Void · Aerosols Void · Oxidising gases Void · Gases under pressure Void · Flammable liquids Void · Flammable solids Void Self-reactive substances and mixtures Void · Pyrophoric liquids Void · Pyrophoric solids Void · Self-heating substances and mixtures Void · Substances and mixtures, which emit flammable gases in contact with water Void Oxidising liquids Void · Oxidising solids Void Organic peroxides Void · Corrosive to metals Void

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

· Desensitised explosives

· Thermal decomposition / conditions to be

avoided:

No decomposition if used according to specifications.

· 10.3 Possibility of hazardous reactions No dangerous reactions known.

· 10.4 Conditions to avoid No further relevant information available. · 10.5 Incompatible materials: No further relevant information available. · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Harmful if inhaled.

(Contd. on page 7)



Printing date 13.03.2023 Version number 12 (replaces version 11) Revision: 13.03.2023

Trade name: Body Coat ST { B }

(Contd. of page 6)

· LD/LC50	values re	levant fo	or classi	fication:
-----------	-----------	-----------	-----------	-----------

4,4'-Methylenediphenyldiisocyanate, oligomeric reaction products with butane-1, 3-diol, 2,4'-diisocyanatodiphenylmethane, 1,1'-methylenebis(4-isocyanatobenzene) homopolymer, [(methylethylene)bis(oxy)]dipropanol and propane-1,2-diol

Oral OECD 425 (LD50) >5,000 mg/kg (rat (F)) OECD 402 (LD50) Dermal >9,400 mg/kg (rabbit) Inhalative **LC50/4 h (OECD 403)** 0.49 mg/l (rat) OECD 453 (rat) (2 years - 5 days per week) without guidelines (Guinea pig) Irritation of skin | OECD 404 (rabbit) OECD 406 (huid) Irritation of eyes | OECD 405 (rabbit) **OECD 474** 118 (In-vitrotest - Chromosomen)

Skin corrosion/irritation
 Serious eye damage/irritation
 Causes skin irritation.
 Causes serious eye irritation.

• Respiratory or skin sensitisation May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

• Germ cell mutagenicity Based on available data, the classification criteria are not met.

· Carcinogenicity Suspected of causing cancer.

· Reproductive toxicity Based on available data, the classification criteria are not met.

· STOT-single exposure May cause respiratory irritation.

• STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure.

· **Aspiration hazard** Based on available data, the classification criteria are not met.

· Additional toxicological information:

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

4,4'-Methylenediphenyldiisocyanate, oligomeric reaction products with butane-1, 3-diol, 2,4'-diisocyanatodiphenylmethane, 1,1'-methylenebis(4-isocyanatobenzene) homopolymer, [(methylethylene)bis(oxy)]dipropanol and propane-1,2-diol

OECD 414 4 mg/kg (rat) (NOAEL)

Carc. 2

· 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

4,4'-Methylenediphenyldiisocyanate, oligomeric reaction products with butane-1, 3-diol, 2,4'-diisocyanatodiphenylmethane, 1,1'-methylenebis(4-isocyanatobenzene) homopolymer, [(methylethylene)bis(oxy)]dipropanol and propane-1,2-diol

BCF (BioConcentrationFactor) - Bioaccumulation | 200 (Cyprinus carpio (Karper))

OECD 117 (log Pow) - Bioaccumulation 15.98

OECD 201 (ErC50/ErL50) (static) >1,640 mg/l (algae) (EC50)

OECD 202 (EC50/EL50) (static) >1,000 mg/l (Daphnia Magna) (EC50)

OECD 203 (LC50/LL50) (static) >1,000 mg/l (Brachydanio rerio (zebravis).) (LC50)

 OECD 209 (EC50/EL50) (static)
 >100 mg/l (Bacterie) (EC50)

 OECD 211 (static)
 ≥10 mg/l (daphnia) (NOEC)

OECD 302 C 0

OECD 471 (In-vitrotest - Chromosomen)

12.2 Persistence and degradability
 12.3 Bioaccumulative potential
 12.4 Mobility in soil
 No further relevant information available.
 No further relevant information available.

· 12.5 Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

(Contd. on page 8)



Printing date 13.03.2023 Version number 12 (replaces version 11) Revision: 13.03.2023

Trade name: Body Coat ST { B }

(Contd. of page 7)

· 12.6 Endocrine disrupting properties

· 12.7 Other adverse effects

Additional ecological information:

· General notes:

The product does not contain substances with endocrine disrupting properties.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage

· European waste catalogue

08 04 09* waste adhesives and sealants containing organic solvents or other hazardous substances

08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

· 14.7 Maritime transport in bulk according to IMO instruments Not applicable.

· Uncleaned packaging:

· Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

SECTION 14: Transport information		
14.1 UN number or ID number		
ADR, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name		
ADR, ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	Void	
14.4 Packing group		
ADR, IMDG, IATA	Void	
14.5 Environmental hazards:		
Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	

Void

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Labelling according to Regulation (EC) No 1272/2008

· Hazard pictograms

· UN "Model Regulation":

The product is classified and labelled according to the CLP regulation.





GHS07

Danger

· Signal word

· **Hazard-determining components of labelling:** 4,4'-Methylenediphenyldiisocyanate, oligomeric reaction products with butane-1, 3-diol, 2,4'-diisocyanatodiphenylmethane, 1,1'-methylenebis(4-isocyanatobenzene) homopolymer,

[(methylethylene)bis(oxy)]dipropanol and propane-1,2-diol

diphenylmethane-4,4'-diisocyanate

(Contd. on page 9)

(Contd. of page 8)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.03.2023 Version number 12 (replaces version 11) Revision: 13.03.2023

Trade name: Body Coat ST { B }

· Hazard statements

H332 Harmful if inhaled.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317 May cause an allergic skin reaction. H351 Suspected of causing cancer. H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

• **Precautionary statements** P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection/

hearing protection.

P284 [In case of inadequate ventilation] wear respiratory protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

· Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.
 REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 56a, 74

· DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment –

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

· Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· National regulations:

· Technical instructions (air):

Class	Share in %
1	34.1

· Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

· Other regulations, limitations and prohibitive

regulations

No sales to private www.ERICARDS.net

· VOC

· **VOC EU [%]**· **VOC EU [g/l]**0.00 %
0.0 g/l

· **VOC USA** 0.0 g/l / 0.00 lb/gal

· **VOC CH** 0.00 %

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

(Contd. on page 10)



Printing date 13.03.2023 Version number 12 (replaces version 11) Revision: 13.03.2023

Trade name: Body Coat ST { B }

(Contd. of page 9)

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation. H351 Suspected of causing cancer.

H373 May cause damage to organs through prolonged or repeated exposure.

EUH204 Contains isocyanates. May produce an allergic reaction.

· Classification according to Regulation (EC)

No 1272/2008

The classification of the mixture is generally based on the calculation method using substance

data according to Regulation (EC) No 1272/2008.

Department issuing SDS:

· Contact: · Date of previous version:

· Abbreviations and acronyms:

· Version number of previous version:

Product Development

Technical Manager: +44 (0) 20 8969 0183

11 RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations

Concerning the International Transport of Dangerous Goods by Rail)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the

International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

29.07.2021

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity - Category 4 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

Resp. Sens. 1: Respiratory sensitisation - Category 1 Skin Sens. 1: Skin sensitisation - Category 1 Carc. 2: Carcinogenicity - Category 2

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2

* * Data compared to the previous version altered.